


SAMView

Perfect View Partner

4K UHD I Smart Whiteboard I Education & Conferences



Alibaba Appliances Sdn. Bhd

Address: No 22, Jalan Perusahaan 21/KS 5,
Kawasan Perindustrian Kg Idaman,
42000 Pelabuhan Klang, Selangor .

Phone: 03-3165 9729

E-mail: samviewmsia@gmail.com

www.samview.com.my





Rich OEM/ODM Experience

Interactive board for meeting and teaching

Interactive Board

The new interactive board solves major problems for educations and conferences, improving teaching and working efficiency!


Samview intelligent interactive board integrates Electronic whiteboard, Projector, Computer, Monitors, Advertising players, and Audio equipment functions.




Write Smoothly

Smooth writing experience


Touch Writing Smoothly
± 1mm high-precision infrared touch makes you feel write in paper.



Erase with back of hand
The back of your hand can be used as an eraser. With just a gentle wipe, the content written on the whiteboard can be erased. It is easy to use and erases quickly.



Rich tools
It supports dual-pen writing and two-color display, insert files, graphics, table, ruler, etc. Makes collaboration easier.





Interactive Display Intelligent Solution One-Step Service

Samview is a solution provider of intelligent display devices with broader scenario collaboration capabilities for zero distance teaching and collaborative work.

Dual Systems OS



Zero bonding process

Support Android and Windows operation system, can switch convenient. Provide powerful function.

48MP AI Camera+8 Array Microphone

Built in 8 array microphones, which adopts smart ambient filtration technology, has 10 meters pick up range. So in the process of voice pick up, the human voice can be preserved and the surrounding noise can be eliminated even in large rooms.



Global floating menu


There are hidden menus on the left and right sides of the screen. Click the arrow to pop up the menu interface. Click on other pages to automatically hide them, which is easy to implement. Switch channels, annotate, set and other functions.




Wireless projection · split screen display

Whiteboard sharing/multi-person conference/multi-screen display

 **Dual Systems OS**
Android and Windows

 **Screen Connection**
multi devices connect

 **NFC**
On/Lock Screen

 **Split screen display**
Application/casting multi-screen


 **WiFiConnection**
Wireless connections


 **13/48 MP Camera**
Optional camera with AI auto-recognition

 **Smart annotation**
Annotations can be made on any interface

 **Type-C**
Fully functional


 **Projector**
Scan the QR code with mobile phone to cast the screen

 **Quick file transfer**
Scan the QR code to send files quickly



Assembly method · Application

SAMView Interactive Boards power the efficient development of student education and corporate offices. Its products have been fully used in business meetings and corporate offices, education and training, product display and other application scenarios.





4K UHD

Ultra-clear
screen

178°

Superwide
angle

1.07 B



Color display

1500:1

high contrast

4K Ultra HD display

3840*2160 ultra-clear resolution, clear and outstanding image quality, 4mm fully tempered grade 7 explosion-proof glass, effectively eliminating strong glare. It provides a better watching experience.




- Fully tempered high grade 7 explosion-proof glass
- LED touch LCD screen
- Backlight



Excellent experience

In addition to the intelligent experience of the interactive board, you will have unexpected experiences when paired with other accessories, such as mobile stands and screen projection, machine, page-turning pen and other peripheral accessories.

The mobile stand can be moved to any scene and is no longer subject to installation limit. Every little detail is designed to bring better quality to users of use experience.



Interactive Board					
Display parameters					
Screen size	55"	65"	75"	86"	100"
LCD Brand	CSOT/BOE	CSOT/BOE	CSOT/BOE	CSOT/BOE	CSOT/BOE
Panel type	DLED	DLED	DLED	DLED	DLED
Aspect Ratio	16:09	16:09	16:09	16:09	16:09
Resolution	3840x2160	3840x2160	3840x2160	3840x2160	3840x2160
View Angle	178(H)/178(v)	178(H)/178(v)	178(H)/178(v)	178(H)/178(V)	178(H)/178(V)
Brightness	300cd/m2	350cd/m2	350cd/m2	380cd/m2	450cd/m2
Contrast	3000:1	3000:1	5000:1	5000:1	5000:1
Display color	10 bit 107R	10 bit 1.07B	10 bit 1.07B	10 bit 1.07B	10 bit 1.07B
Lifespan	≥50,000 hours	≥50,000 hours	≥50,000 hours	≥50,000 hours	≥50,000 hours
Panel Parameter					
Touch type	Infrared touch screen				
Response time	≤8 ms				
Touch Points	50 points simultaneously				
Refresh Frequency	60 Hz				
Surface protection	7H hardness,4MM tempered glass				
Operating system(Dual systems[windows+Android]/single windows system optional)					
Android					
Operating system	Android 14				
RAM	8GB				
ROM	128GB				
Upgrade	8G+128G				
Network	WIFI,WLAN,Bluetooth (Optional)				
OPS PC					
Operating system	Windows 11 Pro				
CPU	Intel Core i5/i7 Optional				
RAM	8G/16G/32G Optional				
Hard disk	128G /256G /512G /1TB ssd Optional				
Graphics card	Intel HD Graphics				
Network	WIFI,WLAN,Bluetooth (Optional)				
Others					
Camera +MIC(optional)	13MP/48MP camera+8 array microphone,AI function optional				
Speaker	2*16W/Customize subwoofer available				
Power supply					
Voltage	AC90-260V				
Frequency	50/60Hz				
General normal working environment					
Working temperature	0℃-40℃				
Storage temperature	-20℃-60℃				
Working humidity	10%-90%non-condensation				
Storage humidity	10%-90%non-condensation				
Package information					
Size	55"	65"	75"	86"	100"
Overall Size	1265×764×83.3mm	1488×906×87mm	1709×1038×90mm	1954×1138×88mm	2225*100*1331mm
Packing Size	1365*190*900mm	1628×208×1014mm	1863×225×1140mm	2064*206*1263mm	2410*350*1660mm
N.W.	23Kg	37 KG	48 KG	64 KG	98 KG
G.W.	28Kg	45 KG	63 KG	83 KG	143 KG
Accessories	Wall mounted kit,Maintenance card,2*touch pen,certificate>manual,power cord,Remote control(Optional)				

Wireless Mirroring

Quickly cast your screen with one click



Connect to the interactive board and clickbuttonsimple to use.

Touch pen

Write and draw directly



Magnetic stylus pen, can be written on both ends.

Telescopic pointer

Contact sensitive office teaching



The length of the seven-section shaft can be adjusted freely.

Page turning pen

PPT Remote page turning pen



Can turn pages, adjust volume etc.

Smart pen

Air mouse PPT page turning



Can write and turn pages, adjust volume etc.

Camera

Built-in camera/external camera



13/48MP camera optional.

Scanner

Real-time and efficient physical projection



A good helper for teachers to explain test papers.

OPS PC

Powerful core with excellent performance



Support the Windows operation system, provide powerful functions.